

2017-2019



CONSTRUCTION STONES - NEW - WOODEN STONES



ATHENS WOODEN PROJECT



WOODEN WHITE PROJECT



BLUE CRYSTAL WOOD PROJECT




CRYSTAL WOOD PROJECT



NEGRO SANTIAGO PROJECT



CRYSTAL WOOD



BLUE CRYSTAL WOOD



MARMARA WHITE



雅典木纹 ATHENS WOODEN



IVORY WOOD



SERPEGGIANTE



BEAUFILLE WOODGRAIN



WOODEN YELLOW



ONYX TRAVERTINE



GOLD COAST



WOODEN WHITE



WOODEN WHITE (HONED)



WOODEN WHITE (BRUSHED)



WOODEN WHITE (HAIRLINE)



WOODEN WHITE (BUSH HAMMERED)



COFFEE WOOD



SERPEGGIANTE BLUE




OBAMA WOODEN



WOODEN SANDSTONE



BLACK WOODEN




BLACK WOODEN (ACID-WASH SURFACE)



GREEN WOODEN




NERA SIENA QUARTZITE



FANTASY LILY



BLACK FOREST



BLACK PERLINO




IMPERIAL BLACK



GALAXY BLACK



BLACK SEA



NEGRO SANTIAGO (POLISH)



SLAB MARKET IN FUJIAN



GRANITE SLAB STOCK



ONYX SLAB STOCK



MARBLE SLAB STOCK



PACKED BY WOODEN BUNDLE



SLAB CONTAINER LOADING



REINFORCE PACKAGES AFTER LOADING


Item	Length	Width	Thickness
Big Slabs	2400mm-3000mm up	1200mm-2000mm	
Normal Slabs	1800mm up	600mm up	20mm, 30mm, 40mm, 50mm, 60mm, ... as per customers' request
	1800mm up	650mm up	
	2100mm up	600mm up	
	1800mm up	700mm up	
	2100mm up	800mm up	
	2100mm up	900mm up	

Available finish: Polished, honed, flamed, bush hammered, flamed+brushed, sandblasted, etc.....
Packing: slab are in bundles placed in wooden stands, polished against polished face



NORMAL SLABS PACKAGES

STANDARD PACKING



PACKING BY CARTONS

PACKING BY POLYFOAM BOXES

CARTONS+WOODEN PALLET

CARTONS+WOODEN CRATE


Tiles are available both in standard sizes and cut to sizes, calibrated and bevelled.

Standard Thickness	8mm	10mm	12mm	15mm	20mm	Others as required
Standard Size		305x305mm				12"x12"
			305x610mm			12"x24"
				406x406mm		16"x16"
					457x457mm	18"x18"
						610x610mm

Surface Finishing				
Polished	Honed	Flamed	Sandblasted	
305x305x10mm	305x610x10mm	406x406x10mm	457x457x10mm	457x457x12mm
10pc/ Carton Box	6pc/ Carton Box	6pc/ Carton Box	6pc/ Carton Box	5pc/ Carton Box
36Box/ Wooden Crate	30Box/ Wooden Crate	30Box/ Wooden Crate	30Box/ Wooden Crate	30Box/ Wooden Crate

Tiles are packed in white carton or polyfoam boxes which are placed in wooden crates. All crates are closed with bands and wrapped with nylon shrink covers.

PROJECT PACKING



PROFESSIONAL PACKING





G654 FLOORING TILES PROJECT



G654 CURBSTONE+FLOORING TILES PROJECT



G682 STEP & WALL PROJECT



G603 PILLAR WALL PROJECT



G603 PARKING PROJECT



G654 & 603 PAVERS & CURBS PROJECT



G602 WALL PROJECT



PADANG DARK & SESAME WHITE PROJECT



G603 BALUSTRADE PROJECT




G654 ROAD PAVING PROJECT



HS016 WATER PROJECT 黑板流水



G603 GROUND AND CURB PROJECT




SLATE LIGHT'S PILLARS 板岩灯柱



FIRST WHITE PROJECT



SILVER TRAVERTINE



FIRST WHITE PROJECT



CALACATTA ORO PROJECT



IVORY WHITE PROJECT



CHINA THASSOS TILE(BUSH HAMMERED)



CHINA CARRARA WHITE TILE



CHINA CARRARA WHITE TILE



CHINA MARMARA TILE




CHINA SPRING GREEN



EAST WHITE BIG SLAB



EAST WHITE TILE QC



FIRST WHITE TILE QC

We are general stone supplier, offering solutions and services to satisfy the combined needs of stone products for commercial and residential projects, from interior to exterior, involving stone tiles, mosaics, trimmings etc for floors and walls, counter tops, basin and tubs for kitchens and bathrooms, kinds of construction and landscaping stones for outdoor ground, roads, gardens and walls, etc. Products' designs are well matched with oriental, European and Middle East styles.



STEPS & DECKS



KITCHEN COUNTERPS



MARBLE TABLES



BATHROOM SINKS & MOSAIC FOR WALL & FLOOR



BATH TUB SINKS & MOSAIC FOR WALL & FLOOR



FIREPLACE & COFFEE TABLE



OUTDOOR TABLES & BENCHES



FOUNTAIN



WATER FEATURE



POTS & TUBS



PAVING & SIDEWALKS



WALL STONE



STONE SWIMMING POOL



SWIMMING POOL BORDERS



COPPINGS & PEBBLES



MOSAIC FOR WALL & FLOOR



PAVING & DITCH STONES



COPPINGS



FRENCH PATTERN IN KASHMIR GOLD GRANITE
TOP BUSH HAMNERED 120x120x3cm



FRENCH PATTERN IN GRASS BEIGE QUARTZ
TOP NATURAL SPLIT 120x120x3-5cm



FRENCH PATTERN IN PURPLE PORPHYRE
TOP HONED 120x120x2cm



FRENCH PATTERN IN MULTI GREY GRANITE
TOP FLAMED 120x120x3cm



FRENCH PATTERN IN MULTI GREY GRANITE
TOP POLISHED 120x120x3cm



CRAZY PATTERN OF NERO BLACK GRANITE
TOP HONED



Honed



Flamed




Water Jet



Pineapple



Autumn Rains



Cloth



Waterflow



Grooved on polished



Sandvave
Waterflow 6+3



Protugal Botticino
Waterflow 3+3



White Silk



Perlino Bianco
Silver Silk



Iran Beige
Jute Weaving



Iran Beige
Planed



Mushroom



Ice Crack



Picking



Bush hammered

POPULAR MARBLE - BIANCO CARRARA

Physical Property Testing Results

Tests	Carrara White	JC/T205-92(96) Specifications
Rock Type	White Marble	—
Water Absorption(%)	0.11	1.00 max
Density(g/cm ³)	2.71	2.50 min
Flexural Strength(MPa)	11.6	8.0 min
Compressive Strength(MPa)	49.1	60.0 min
Shore Hardness(HSD)	43	—



Slabs



Vanities



Bathroom Effect



Polished



Acid Wash+Brushed



Hairline



Tile Sorting

POPULAR MARBLE - EAST WHITE

Physical Property Testing Results

Tests	East White	JC/T205-92(96) Specifications
Rock Type	White Marble	—
Water Absorption(%)	0.24	1.00 max
Density(g/cm ³)	2.66	2.50 min
Flexural Strength(MPa)	12.1	8.0 min
Compressive Strength(MPa)	90	60.0 min
Shore Hardness(HSD)	38	—



Polished



Slabs



Staircase



Floor Tile(Straight Vein)



Floor Tile(Diagonal)

POPULAR MARBLE - IMPORTED TRAVERTINE



WHITE TRAVERTINE



CREAM TRAVERTINE



TURKEY TRAVERTINE



GRAINY TRAVERTINE



ROMAN TRAVERTINE



COFFEE TRAVERTINE



GOLDEN TRAVERTINE



RED TRAVERTINE



ONYX TRAVERTINE



SILVER TRAVERTINE



BLUE TRAVERTINE




RAIN FOREST TRAVERTINE

POPULAR GRANITE - BASALTO

Physical Property Testing Results


Tests	Basalto-C	JC/T205-92(96) Specifications
Rock Type	Olivine Basalto	—
Water Absorption(%)	0.56	1.00 max
Density(g/cm ³)	2.84	2.50 min
Flexural Strength(MPa)	31.3	8.0 min
Compressive Strength(MPa)	217.6	60.0 min
Shore Hardness(HSD)	92	—



POPULAR GRANITE - NEW G684

Physical Property Testing Results

Tests	Pearl Black	JC/T205-92(96) Specifications
Rock Type	Olivine Gabbro	—
Water Absorption(%)	0.09	1.00 max
Density(g/cm ³)	2.98	2.50 min
Flexural Strength(MPa)	25.8	8.0 min
Compressive Strength(MPa)	201.1	60.0 min
Shore Hardness(HSD)	85	—



POPULAR GRANITE - FANTASY

Physical Property Testing Results


Tests	Fantasy	JC/T205-92(96) Specifications
Rock Type	Granodiorite	—
Water Absorption(%)	0.33	1.00 max
Density(g/cm ³)	2.65	2.50 min
Flexural Strength(MPa)	15.8	8.0 min
Compressive Strength(MPa)	156.6	60.0 min
Shore Hardness(HSD)	92.6	—





POPULAR GRANITE - MONGOLIA BLACK

Physical Property Testing Results

Tests	Mongolia Black	JC/T205-92(96) Specifications
Rock Type	Black Basalto	—
Water Absorption(%)	0.02	1.00 max
Density(g/cm ³)	2.90	2.50 min
Flexural Strength(MPa)	32.4	8.0 min
Compressive Strength(MPa)	322.9	60.0 min
Shore Hardness(HSD)	83	—



SWIMMING POOL BORDERS



Artificial Inorganic Stone Swimming Border

■ Product performance: No-resin, Non-smoke toxicity, Fire-resistant, Colorfast, Non-aging, Non-deformation, No cracking, High toughness, Freeze-thaw resistance, Anti penetration, Easy to clean.

■ Application ranges: Interior and Exterior Wall cladding, Indoor and Outdoor Flooring, Kitchen countertops, Bathroom vanity tops and Sinks, public squares, stations and variety of architectural decorations. They make it possible for artificial stones to be used outdoors.

■ Processing ranges: they can be carved three-dimensionally and made into lines; The surface can be Polished, Flamed, Bush-hammered, Water-jet, Antiqued, Sandblasted, Grooved; Polish above degree 80.

■ Service life: more than decades under natural circumstances if safe used, basically the same service life as building's.




FLAMED



BLOCK




CORNER BORDER PACKINGS



INNER CORNER BORDER



CORNER BORDER PROCESSING



CURVED BORDER WITH HOOKED BULLNOSE

INNER CORNER BORDER WITH HOOKED BULLNOSE

CURVED BORDER WITH BULLNOSE

STRAIGHT BORDER WITH "L" NOSE

OUTER CORNER CURVED BORDER

INNER CORNER WITH "L" NOSE



MCBY112 CURVED BORDER IN CREAM PORPHYRE



GCBP102 HG230 BORDER



Bullnose



Drop Edge-bullnose



Drop Edge-straight



MCBY100



MCBY101



MCBY102



MCBY103



BASALT DOLPHN EDGE BORDER

SWIMMING POOL BORDERS PROJECT



PACKING OF NORMAL BORDERS



SPECIAL DESIGNED SWIMMING POOL BORDERS



BARAIN PORJECT JOBSITE



FINISHED PROJECT 1



FINISHED PROJECT 2



FINISHED PROJECT 3



ARTIFICIAL INORGANIC STONE FINISHED PROJECT 4



FINISHED PROJECT 5



FINISHED PROJECT 6



FINISHED PROJECT-7A



FINISHED PROJECT-7B



FINISHED PROJECT-7C



FINISHED PROJECT-7D



FINISHED PROJECT-8A




FINISHED PROJECT-8B

POPULAR GRANITE - DARK GREY / G654

Physical Property Testing Results

Tests	G654	JC/T205-92(96) Specifications
Rock Type	Granodiorite	—
Water Absorption(%)	0.15	1.00 max
Density(g/cm ³)	2.8	2.50 min
Flexural Strength(MPa)	20.9	8.0 min
Compressive Strength(MPa)	111.6	60.0 min
Shore Hardness(HSD)	102	—



Polished



Honed



Flamed




Bush Hammered




Natural-1



Natural-2



Natural-3



Chiseled

POPULAR GRANITE - DESERT BROWN

Physical Property Testing Results

Tests	Desert Brown	JC/T205-92(96) Specifications
Rock Type	Granite	—
Water Absorption(%)	0.39	1.00 max
Density(g/cm ³)	2.59	2.50 min
Flexural Strength(MPa)	18.8	8.0 min
Compressive Strength(MPa)	118.4	60.0 min
Shore Hardness(HSD)	110	—



Polished



Honed



Bushhammered

POPULAR PORPHYRY



MULTI-COLORED OUTDOOR TILES (FLAMED)



WHITE PORPHYRY




GREEN PORPHYRY



GREY PORPHYRY



GREEN PORPHYRY



COFFEE PORPHYRY



SHINING RED (POLISHED)



SHINING RED (FLAMED)




GOLD PORPHYRY




AZALEA RED



MARRON RED



CHINA ROSSO LEPANTO



PEARL BLUE

OWN QUARRY - TRAVERTINE



SLM101-BIG SLABS



WATER PROJECT



SLM101 CROSS CUT-POLISHED



SLM101-FLZ BUSH HAMMERED

Wallstone glued panel



Style A



Style B



MCPY231

Wallstone concreted panel



Style A



Style B




Style C

Style	Dimension	Thickness	Weight/Pce
	600x225mm	20-30mm	850kg
	600x225mm	20-30mm	850kg
	600x235mm	20-30mm	850kg
	600x235mm	20-30mm	850kg
	500x200mm	20-30mm	850kg
	200+400x225mm	20-30mm	500kg



Corner



MCS171 BALUSTRADE

OWN QUARRY - TRAVERTINE




MCPY177A



MCPY263



MCPY225



MCPY177



MCPY182



MCPY279



MCPY182 A+B-SG CORNER



MCPY252 TRAVERTINE CORNER STONE




SLM065W-T



SLM082W-T




SLM604-T



SLM006-T



SLM001-T



SLM703-T



SLM606-T




SLM096-T



MCPY266






Size	
150x100-400x20-30mm	150x225x20-30mm
150x100-400x20-30mm	100x225x20-30mm
75x100-400x20-30mm	150x100x20-30mm
50x100-400x20-30mm	
Weight/Crate	Quantity/Crate
850kg	13.12m ²



Size	
50x(100+150)x20-30mm	75x(100+150)x20-30mm
100x(100+150)x20-30mm	150x(100+150)x20-30mm
Weight/Crate	Quantity/Crate
500kg	36m

CONSTRUCTION STONES - GENERAL

Ref # (HB # if available)	Paving stone Item Description	Ref # (HB # if available)	Paving stone Item Description	Ref # (HB # if available)	Paving stone Item Description
2017968918	Granite tile 40x40x3 cm.	2015519537	Granite cube 10x10x10 cm	2015898292	Palisade 12x12x75 cm
2017481286	Granite tile 60x40x3 cm.	2018871548	Granite cube 11x11x11 cm	2015898293	Palisade 12x12x100 cm
2017814874	Granite tile 60x60x3 cm.	2015902327	Granite cube tumbled 10 x 10 x 8 cm	2015898286	Granite curb- / skirting stone 100x15x5 cm
2017397765	Granite tile 60x30x2 cm.	2018298822	Basalt cube 9x9x9 cm	2015898289	Granite curb stone (Blockstufe) 100x35x15 cm
2018294124	Granite tile 80x80x3 cm.	2018298822-1	Brick-Stone (Mauerstein) Granite length 35 - 40cm 18-20 cm x 18-20 cm	2015898289-1	Brick Stone (Mauerstein) Granite-Gneis 35 x 20 x 7,5
2015633243	Granite tile 90x60x3 cm	2017519169	Granite curb- / skirting stone 40 x 8 x 1 cm	2015898289-2	Brick Stone (Mauerstein) Granite-Gneis 35 x 20 x 15
2018678735	Palisade 12x12x25 cm	2018679354	Granite curb- / skirting stone 40 x 8 x 1 cm	2015898289-3	Brick Stone (Mauerstein) Granite-Gneis 35 x 20 x 22,5
2018678736	Palisade 12x12x50 cm	2018679355	Granite tile 60x60x3 cm	2015898289-4	Brick-Stone (Mauerstein) Granite-Gneis 40 x 20 x 7,5
2018678738	Palisade 12x12x75 cm	2017622955	Paving Bluestone tile 50x50x2,5 cm	2015898289-5	Brick-Stone (Mauerstein) Granite-Gneis 40 x 20 x 15
2018679000	Palisade 12x12x100 cm	2017622956	curbstone 100x15x5 cm	2015898289-6	Brick-Stone (Mauerstein) Granite-Gneis 40 x 20 x 22,5
8679001	Granite curb- / skirting stone 50x15x5 cm	2017622965	tile 100x100x3 cm	2015898289-7	Brick-Stone (Mauerstein) Granite-Gneis 45 x 20 x 7,5
2018294126	Granite curb- / skirting stone 100x15x5 cm	2017622966	tile 60x40x2,5 cm	2015898289-8	Brick-Stone (Mauerstein) Granite-Gneis 45 x 20 x 15
2018679206	Granite curb- / skirting stone 100x20x8 cm	2017622967	tile 40x40x2,5 cm	2015898289-9	Brick-Stone (Mauerstein) Granite-Gneis 45 x 20 x 22,5
2017358969	Granite curb stone (Blockstufe) 50x35x15 cm	2017622968	tile 60x40x2,5 cm	2015898289-10	Wall-Cover Tile Granite-Gneis 50 x 30 x 3+
2017358969-1	Granite curb stone (Block) 75x35x15 cm	2017622969	tile 50x50x2,5 cm	2015898289-11	Wall-Cover Tile Granite-Gneis 100 x 30 x 3+
2017358969-2	Granite curb stone (Block) 100x35x15 cm	2017622970 8509998	tile 60x60x3 cm	2015898289-12	Paving Travertine Travertine 60 x 40 x 3 cm (61,0 x 40,6 x 3,0)
2017153797	Granite notch stone 24x10x3 cm	2017622970 8509998-1	tile 80x80x3 cm	2015898289-13	Travertine "French Pattern" 20,3 x 20,3 - 2 pcs 20,3 x 40,6 - 2 pcs 40,6 x 40,6 - 4 pcs 40,6 x 61,0 - 2 pcs thickness 3cm (1,48 m ² / set)
2015630096	Granite cube 10x10x3-5C m	2018299404	Drywall stone brick stone L 20-30 cm w./h. 6 - 8 cm	2015898289-14	Travertine 60 x 40 x 3 cm (61,0 x 40,6 x 3,0)
2015630097	Granite cube 15x15x3-5Cm	2018490220	" Drywall stone brick stone L 20-30 cm w./h. 6 - 8 cm	2015898289-15	Travertine "French Pattern" 20,3 x 20,3 / 20,3 x 40,6 / 40,6 x 40,6 / 40,6 x 61,0 thickness 3cm
		2015898294	Palisade 6x20x100 cm	8686223	Paving Sandstone Paving (slate) 60 x 40 x 3 cm
		2015898295	Palisade 8x20x100 cm	8321343	Sandstone 40 x 40 x 2-4 cm
		2015898296	Palisade 8x25x80 cm		
		2015898297	Palisade 10x25x200 cm		
		2015898290	Palisade 12x12x25 cm		
		2015898291	Palisade 12x12x50 cm		



CONSTRUCTION STONES - GENERAL

Wall Stone / Mushroom Stone

Usage: Exterior wall cladding stone

The material can be granites or sandstones etc, different shape,different surface processing, such as natural, rough, picked, bush hammered, etc.



Mushroom Stone Standard size	100mm×50mm	100mm×100mm	200mm×100mm	150mm×150mm
	200mm×150mm	200mm×200mm	300mm×100mm	400mm×200mm
	500mm×250mm	600mm×300mm		
Thickness:	30mm, 40mm, 50mm, 60mm, 80mm, 100mm, etc.			
Finishes:	Top face natural split, other sizes sawn cut.			
Remarks:	Customized Design is acceptable.			



Natural Split By Order



G654 Mushroom Stone



G603 Mushroom Stone



Black Basalt Mushroom Stone



G654 Natural Split by Order



G603 Mushroom Corner Stone



G654 Natural and Tumbled Wall Bricks



G682 Natural Split By Order



G682 Natural Crazy Pattern-1



G654 Natural Split by Order



G682 Pattern B Natural Split



G682 Natural Crazy Pattern-2

BLUE LIMESTONE AND SL BLACK LIMESTONE



WATER SQUARE PROJECT IN NETHERLANDS



FOUNTAIN PROJECT 1



HONED PAVING TILES



HONED & TUMBLED SMALL BRICKS



FSBL-042 STRAIGHT CURBSTONE



FSBL-043 CURVED CURBSTONE



FSBL-044 HONEO AND TUMBLED TILES



FLAMED AND BRUSHED TILE(SITE MAINTAINED)



SLM703-TJ



FROST SURFACE

BLUE LIMESTONE AND SL BLACK LIMESTONE



POOL BORDERS




FSSW-381




FSBL008



FSBL-024



FSBL-011




FSD-YT



FSBL-010 WALL BRICKS AND CORNER(LOOSE)



FSBL-010 CASTLE STONE



FSBL-039



FSD-ZLT



FSBL-035 LINED BRICKS




FSBL-035 CORNER CURB




FSSW-382



FSSW-383



FSD-L-1 LINED DESIGN



FSD-HS FLAMED INTERLOCKED WALL STONES




SLM703-P



FSSW-471

CONSTRUCTION STONES - GENERAL



CONSTRUCTION STONES - MESHED STONE



Pattern type	Fan Shape Pattern
Standard size	74x46cm (4pcs per Sqm)
Available Thickness	2cm/3cm/4cm/5cm
Finishes	Flamed/Natural/Tumbled etc
Available color	Grey, Dark, Black, Red, Yellow, Pink etc




OWN QUARRY - TRAVERTINE




MCPY229 STAIR CASES



MCPY258(SMALL)



MCPY246



MCPY247



MCPY278-Y WALL TILE STRIPS



SLM001D-01



SLM101-01



SLM001C-02

GOLDEN LIMESTONE



GOLDEN LIMESTONE PROJECT IN CHINA



GOLDEN LIMESTONE PROJECT IN XIAMEN(中国黄莱姆石工程)




GOLDEN LIMESTONE 中国莱姆石



MCPY232 GOLDEN LIMESTONE



FSSW-413



FSYL001-LZ



MCPY255



MCPY248 MUSHROOM STONE



MCPY206-ZT2



GOLDEN LIMESTONE CORNER



FSSW-412(110#)



MCPY274



MCPY270(110#)





MCPY272




MCPY273(111#)

CONSTRUCTION STONES - MESHED STONE



Finish: By order
 (natural surfaces or flamed)
 Size: 50x50x2/3cm
 Stone size: Vary
 Usage: Paving



CONSTRUCTION STONES - MESHED STONE

